

## Hikvision Best Sellers Product Guide

Q2 - 2020



VIDEO SURVEILLANCE



ACCESS CONTROL



WIRELESS NETWORK



MANAGEMENT SYSTEMS



International importer and distributor  
of Hikvision solutions

Other product guides available on request:

Hikvision High-End Surveillance Product Guide  
Hikvision Access Control & Intercom Systems



### Hikvision Turbo Range

### Turbo Cameras



DS-2CE16D0T-IRF

HD 1080P 20m Infrared Turbo  
Bullet Camera

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 3.6 mm fixed lens



DS-2CE16D0T-IT5F

HD 1080P Long Range EXIR 80m  
Turbo Bullet Camera

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 6 mm fixed lens



DS-2CE16D0T-VFIR3F

HD 1080P Varifocal Smart IR  
Turbo Bullet Camera

- 2 megapixel high performance CMOS
- Switchable TVI/AHD/CVI/CVBS
- Up to 40 m IR distance
- Day/Night switch



DS-2CE56D0T-IRMF

HD 1080P 20m Infrared Turbo  
Turret Camera

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- Full metal body



DS-2CE56D0T-VFIR3F

HD 1080P Varifocal 40m IR  
Turbo Turret Camera

- 4:1 Feature: TVI/AHD/CVI/CVBS
- 2-MP high-performance
- 2.8~12 mm varifocal lens



DS-2AE4225TI-D

Outdoor 2-MP WDR IR 100 m  
Turbo PTZ Camera


- 4:1 Feature: TVI/AHD/CVI/CVBS
- 25x Optical zoom
- 12V DC



DS-2CS54C8T-PH

HD 720p WDR Covert / Turbo  
Pinhole Camera

- CVBS switchable analogue
- 2.8 mm fixed lens
- Ultra low-light





# Hikvision Turbo Range

## Turbo Recorders



DS-7104HQHI-K1

### 4-Channel 1080P HD Turbo DVR

- Audio via coaxial cable
- AHD input up to 4 MP resolution
- Support H.265 Pro+/H.265 Pro/H.265/H.264+/H.264 video compression



DS-7108HQHI-K1

### 8-Channel 1080P HD Turbo DVR

- 1 SATA interface (up to 6TB)
- HDTV/VI/AHD/CVI/CVBS/IP video input
- Max. 800m for 1080P and 1200m for 720P HDTV signal



DS-7208HQHI-K1

### 8-Channel 1080P HD-TVI / Turbo DVR

- One SATA interface (up to 10 TB)
- Supports third-party cloud storage
- HDMI output at up to 4K resolution
- Up to 4MP lite resolution for recording



DS-7116HQHI-K1

### 16-Channel 1080P HD Turbo DVR

- Self-adaptive HDTV/VI/HDCVI/AHD/CVBS signal input
- HDTV/VI up to 3 MP signal input available for channels 1/2/3/4



DS-7216HQHI-K2

### 16-Channel 1080P HD Turbo DVR

- HDD: 2 SATA interfaces (10TB)
- Encoding ability up to 1080P @ 15 fps
- Support analogue and smart IP cameras



DS-7332HQHI-K4

### 32-Channel 2-MP Turbo DVR

- HD/CVI/AHD/CVBS
- 4-Channel Audio in-/output
- HDD: 4 SATA interfaces (8 TB)

### Powerful Hikvision Turbo Recorders

Hikvision has now launched Turbo HD 4.0 – a brand new revolution in high-definition, high-performance surveillance video. Turbo HD 4.0 technology gives your analogue security system a powerful boost, upgrading the total system to amazing ultra-HD 4K resolution. Bandwidth efficiency improves by 75% using H.265+ compression. By transmitting both HD video and power over the same coax cable, PoC technology ensures installations are faster, simpler, and more cost effective.



# Hikvision Network (IP) Range

## Network (IP) Cameras



DS-2CD2025FWD-I

### 2-MP IR Fixed Bullet Network Camera

- Max. 1920 × 1080 @30fps
- 120dB wide dynamic range
- 3D digital noise reduction
- IR range: up to 30 m



DS-2CD2045FWD-I

### 4-MP IR WDR Network Bullet Camera

- Up to 30 m IR distance
- 4 mm fixed lens
- Built-in microSD card slot



DS-2CD2T26G1-4I

### 2-MP IR Fixed Bullet Network Camera

- Max. 1920 × 1080 @30fps
- 2.8 mm/4 mm/6 mm/8 mm fixed lens
- Support on-board storage
- 12 VDC & PoE



DS-2CD2T46G1-4I/SL

### 4-MP IR Fixed Bullet Network Camera

- Max. 2688 × 1520 @30fps
- Strobe light and audio alarm
- 120dB WDR
- Powered by darkfighter



DS-2CD2626G1-IZS

### AcuSense 2-MP IR Varifocal Network Bullet Camera

- H.265+, H.264+, H.265, H.264
- Support on board storage, up to 128 GB
- IR range: up to 50 m



DS-2CD2646G1-IZS

### 4-MP IR Varifocal Bullet Network Camera

- Max. 2688 × 1520 @ 30fps
- Environment noise filtering
- 4 Behaviour analyses



DS-2CD2125FWD-I

### 2-MP Infrared WDR Network Dome Camera

- Full HD1080P video
- 2.8 mm fixed lens
- Ultra-low light



DS-2CD2146G1-IS

### 4-MP IR Fixed Dome Network Camera

- False alarm filter by target classification
- 2.8 mm/4 mm/6 mm fixed lens
- IR range: up to 30 m





## Network (IP) Cameras (continued)



DS-2CD2525FWD-IS

### 2-MP WDR Fixed Mini Dome Network Camera

- 1/2.8" (2 MP) progressive scan CMOS
- Full 1080P resolution @ 60 fps
- Powered by darkfighter
- MicroSD card slot supports 128 GB



DS-2CD2545FWD-IS

### 4-MP IR Mini Dome Network Camera

- Powered by darkfighter technology
- 2.8 mm fixed lens
- Built-in mic & audio/alarm I/O



DS-2CD2726G1-IZS

### 2-MP IR Varifocal Dome Network Camera

- Audio and alarm interface available
- 120dB WDR
- 12 VDC & PoE (802.3af, class 3)



DS-2CD2746G1-IZS

### 4-MP IR Varifocal Dome Network Camera

- Max. 2688 × 1520 @ 30fps
- IR range: up to 30 m
- Support on board storage, up to 128 GB



DS-2CD2955FWD-IS

### 5-MP IR 360° Fisheye Network Camera

- Support 14 display modes
- Up to 8 m IR range
- Audio/Alarm IO



DS-2DE4225IW-DE

### Outdoor 25X 2-MP IR Network PTZ Dome Camera

- 25× optical zoom, 16× digital zoom
- Up to 100 m IR distance
- 12 VDC & PoE+
- Up to 1920 × 1080@30fps resolution



## Network Recorders



DS-7608NI-K2

### 8-Channel Embedded NVR

- 8 PoE network interfaces
- HDMI output up to 4K resolution
- HDD: 2 SATA interfaces ( 6 TB)



DS-7608NI-K2/8P

### 8-Channel Embedded Plug & Play NVR

- 8 PoE network interfaces
- HDMI output up to 4K resolution
- HDD: 2 SATA interfaces ( 6 TB)



DS-7616NI-K2

### 16-Channel Embedded NVR

- Up to 8-MP resolution recording
- HDMI output up to 4K resolution
- HDD: 2 SATA interfaces ( 6 TB)



DS-7616NI-K2/16P

### 16-Channel Embedded Plug & Play NVR

- 16 PoE network interfaces
- Up to 8-MP resolution recording
- HDD: 2 SATA interfaces ( 6 TB)



DS-7716NXI-I4/4S

### 16-Channel High-End Embedded NVR

- Up to 8 TB capacity for each HDD
- Up to 12 MP high-definition live view
- 4 HDDs for continuous video recording



DS-7732NXI-I4/4S

### 32-Channel High-End Embedded NVR

- POS triggered recording and alarm
- HDMI/VGA output provided
- H.265+/H.265/H.264+/H.264



DS-7732NXI-I4/16P/4S

### 32-Channel High-End Embedded NVR

- New logical and visualized GUI design
- HDD health monitoring
- Up to 12 MP high-definition live view

### End-to-end solutions

Sensor proudly offers customers a robust skill set with ingrained industry expertise, specialising in end-to-end solutions, including system designs, site surveys, PoC's and renowned technical support with ongoing product training.



# Infrastructure Range

## Switches



DS-3E0105P-E

**4-Port 100 Mbps Unmanaged Economical PoE Switch**

- 4 x 10/100 Mbps Auto-MDIX ports
- 4 kV Surge protection
- Plug-and-play installation



DS-3E0109P-E

**8-Port 100 Mbps Unmanaged Economical PoE Switch**

- 8 x 10/100 Mbps Auto-MDIX Ports
- 250 m extended PoE support
- Plug-and-play installation



DS-3E1318P-E

**16-Port 100 Mbps Web-managed PoE Switch**

- 8-core power supply technology
- 250 m extended PoE support
- 2 Uplink ports



DS-3E1326P-E

**24-Port 100 Mbps Web-managed PoE Switch**

- 8-core power supply technology
- 250 m Extended PoE support
- 2 Uplink ports



# Accessories

## Display Equipment, Camera Brackets & Cables



DS-D5019QE-B

**Hikvision 18.5" LCD Monitor**

- LED direct-lit backlight
- Input: HDMI, VGA
- VESA stand bracket (included)



DS-1005K1

**USB Keyboard**

- Joystick: 3-axis control, rotating zoom
- 3D PTZ control
- Up to 15 programmable buttons



DS-1258ZJ

**In- & Outdoor Wall Mount Dome Camera Bracket**

- Suitable for DS-2CD27xx domes
- Aluminium alloy
- 88.5 mm



DS-1258ZJ-L

**In- & Outdoor Wall Mount Dome Camera Bracket**

- Suitable for DS-2CD27xx domes
- Hikvision white
- 136x183x213mm



DS-1280ZJ-S

**Junction Box for Dome Cameras**

- Hikvision white
- Aluminium alloy material
- 157x185x51.5mm



DS-1602ZJ

**In- & Outdoor Wall Mount Camera Bracket**

- Hikvision white
- Aluminium alloy & Steel
- 97x182x305 mm



DS-1602ZJ-COR

**Corner Mount Bracket for PTZ Dome Cameras**

- Wall mount
- Neat and small design
- Aluminium alloy & steel



DS-1602ZJ-POLE

**Vertical Pole Mount Bracket**

- Vertical pole mount bracket
- Hikvision white
- Aluminium alloy & steel



DS-1662ZJ

**Pendant Mount Bracket for PTZ Dome Cameras**

- Pendant mount - 50cm
- Aluminium alloy & steel
- 116.5x500mm



DS-1LN5E-E/E

**UTP 4 Pair CAT 5E Network Cable - 305 meters**


- Conductor: Solid-bare copper (99.97%)
- Insulation: HDPE/0.82±0.03 mm
- Grey



DS-1LN6-UU

**UTP 4 Pair CAT 6 Network Cable - 305 meters**

- Core diameter: 0.565 mm
- Conductor: Solid-bare copper (100%)
- Insulation: HDPE/1.02±0.03 mm
- Orange • Top quality



Should you require a Hikvision product which does not appear on this product guide, you are welcome to contact your sales consultant or nearest Sensor branch and request, either a quotation or comprehensive pricelist.

## Gauteng

**Physical Address**  
93 Tsessebe Crescent  
Building 3 Platinum Close  
Corporate Park South  
Midrand, Gauteng  
South Africa  
**Telephone:** +27 (0)11 314 9419

## Eastern Cape

**Physical Address**  
124 Fordyce Rd  
Walmer  
Port-Elizabeth  
Eastern Cape  
South Africa  
**Telephone:** +27 (0)41 581 0316

## Western Cape

**Physical Address**  
Unit 3, 7 Gold Street  
Northgate Estate  
Cape Town  
Western Cape  
South Africa  
**Telephone:** +27 (0)21 510 1445

## Kwa-Zulu Natal

**Physical Address**  
Unit F1, 35 Intersite Avenue  
Umgeni Business Park  
Spingfield, Durban  
Kwa-Zulu Natal  
South Africa  
**Telephone:** +27 (0)31 263 0305/6/7